

# Verifone V400c

The V400c is our most powerful and advanced countertop device. As part of Verifone's Engage portfolio, it combines the latest in features, functionality, and performance into an efficient, high-end solution. Whether merchants are looking to accept basic payments or focus on more advanced capabilities, like loyalty, advertising, and other value-added services, the V400c makes it possible. A large color touchscreen supports signature capture and encourages easy, intuitive customer interaction. Plus, the ability to run third-party apps allows the V400c to be customized to meet a variety of merchant and customer needs. The V400c also joins Verifone's industry-leading selection of devices that meet PCI 5.X requirements. And with end-to-end encryption and tokenization, merchants can worry about something other than device security.

- Supports Verifone's estate management solution for remote device management, value-added services, updates and diagnostics
- Accepts all payment types: NFC/CTLS, mobile wallets, EMV and magstripe
- Supports a variety of third-party apps through Verifone's Merchant Marketplace
- Optional features, such as dual-band WiFi and Bluetooth 4.2 BLE

# **Specifications**

## Processor

600 MHz, Arm Cortex-A9 32-bit RISC

#### Memory

384 MB (256 MB Flash, 128 MB SDRAM)

# Display

3.5" (320 × 480) HVGA capacitive color touchscreen; oleophobic, smudge-resistant coating

# Operating System

Linux, with Verifone security enhancements

## Connectivity

Dial-up, Ethernet

#### Printer

30 lps, 40 mm paper roll

## **Card Readers**

Triple track MSR: ISO 7810, 7811, 7813; smart card reader, 2 SAM slots

# Contactless

ISO 14443 Types A and B, ISO 18092capable, MIFARE, supports major NFC/CTLS schemes

### **Peripheral Ports**

2 USB connectors: 1 host, 1 host/client; 1 powered RS-232

### Keypad

10 + 5 buttons, backlit, optional privacy shield

#### Audio

Multi-tone buzzer

## Security

PCI PTS 5.X-approved; capable of supporting AES DUKPT

#### Power

AC input 100-240 VAC, 50/60 Hz; DC output 11.6 V 1.55 A

## Environmental

Operating temperature: 0° to 50° C (32° to 122° F); storage temperature: -20° to 60° C (-4° to 140° F); relative humidity: 5% to 90%, non-condensing

# Physical

190 mm L × 80 mm W × 70 mm H; 381 g

## V400c Plus

- Memory: 1024 MB (512 MB Flash, 512 MB SDRAM), microSD
- Connectivity: 5 GHz + 2.4 GHz WiFi, Bluetooth 4.2 BLE
- Audio: Speaker